



A Tradition of Excellence

BAWA INDUSTRIES PVT. LIMITED

(STAR EXPORT HOUSE RECOGNISED BY GOVT. OF INDIA)

11, INDUSTRIAL AREA, PHAGWARA -144 401 (PB.) INDIA

E-MAIL : sushil@bawagroup.com

E-MAIL : bawaexports@vsnl.net

FAX : (+91-1824) - 266036 / 261434

Website : www.bawatractor.com

BAWA

TRACTOR LINKAGE PARTS

www.bawatractor.com

Catalogue # 2011



A Tradition of Excellence



TRACTOR LINKAGE PARTS



Dear Customer,

Bawa Industries Pvt Ltd., one of the most Dynamic, Prolific, Result Oriented, Progressive and Quality Conscious group is catering to the needs of the prestigious customers like you in the international market for more than the last 3 decades.

Company's cluster of Professionals and Technocrats with distinguished expertise have maintained the excellent quality standard & subsequently the company has the privilege to have certification of **ISO 9001:2008**, laurels of status of **"Star Export House"** by Govt of India, **"Gold Status"** by various financial institutions and other glorious awards by Govt.

The company has very diligently and meticulously met the time to time challenges of market in its manufacturing activities, thereby maintaining timely dispatches with no compromise on quality fronts.

Assuring you of our commitment to continue to look into the mutual benefits with all sincere and dedicated efforts and solicit your participation and benevolent trial of our products which we assure shall meet your vibrant aspirations & expectations.

BAWATEAM



COMPANY PROFILE



Fine Tuned
Infrastructure

3D Design



Vertical Milling Machine



CNC Machining



Forging



Grinding



Let them grow



Let's say 'no' to



**CHILD
LABOUR**

INDEX

			
Linch Pins 6	Special Pipe Linch Pin 8	Hair Pin Grip Clip, Single Spire 10	Standard Clevis Pins 12
Forged Linch Pins 6	Linch Pin for Tube 8	Hair Pin, Double Spire, Black 10	Universal Clevis Pins 12
Linch Pins Oval Shape 7	P/O Pins 9	Scop Springs 11	Hitch Pins 13
Spring Linch Pins 7	Round Wire Lock Pin with Tab 9	S-Hooks 11	Rivet Head Pin 13

			
Hitch Pin with Chain & Linch Pin 14	Bent Handle Hitch Pin 16	Square Head Pins 19	Implement Pins 21
Orange Hitch Pin with Hair Pin 14	Wire Lock Hitch Pin 17	Cylinder Pins 19	Lower Link Pins 22
Hitch Pin with Hair Pin 15	Top Link with Chain & Linch Pin 17	Top Link Pin without Head 19	Adjustable Lower Link Pins 24
Red Handle Hitch Pin 15	Special Top Link Pins 18	Inter Changeable Implement Mounting Pins 20	Stabilizer Pins 24

			
Adjustable Levelling Arm 25	Lower Link Balls 28	Guide Core Ball 30	Top Link Assemblies 32
Stabilizer Ends 25	Ball with Cut 28	Spacers 30	Levelling Assemblies 37
Kubota Type Kits 26	Top Link Balls 29	Replacement Bushes 31	Top Link Ends 38
Tuki Type Base Bracket 27	Ball Double Bore 29	Tire Bushes 31	Ratchet Jack 39

			
Stabilizer Assembly 40	Weld on Ends 42	U-Bolts 46	Harrow Disc 48
Stabilizer Chain Assembly 40	Ball End with Bottom 43	Drop Lock Pin Weld on Type 47	Grease Nipples 48
Stabilizer Ends 41	Draw Bar 44	Clevises 47	Disc Harrow Aule 49
Eye Ends 41			Blade Bolt 49

			
Hitch Ball 50	Wheel Spinner 50	Universal Joint Cross 54	Hand Tools 55
Ball Mount 50	Latch Assemblies 51	Weather Caps 54	Lubricants 55
Clevis Yoke 50	Parking Jacks 52		
Battery Terminals 50	Jockey Wheel Parking Jack 53		




LINCH PINS

SPINE A SCATTO

ZAWLECZKA



CODE	A	B	C	D	E
BLP45035	4.5	28.6	35	44	3
BLP45041	4.5	33	41	51	3
BLP47035	4.76	28.6	35	44	3
BLP60045	6	36.5	45	54	3.2
BLP60045HD	6	36.5	45	54	3.7 Black
BLP63045	6.35	36.5	45	54	3.2
BLP70045	7	36.5	45	55	3.3
BLP80045	8	36.5	45	54	3.3
BLP80045HD	8	36.5	45	54	3.7 Black
BLP90045	9	36.5	45	56	3.3
BLP95051	9.5	39	51	62	3.3
BLP10045	10	36.5	45	56	3.5
BLP11045	11	36.5	45	56	3.5
BLP11051HD	11	39	51	66	4.5 Black
BLP11051	11	39	51	62	3.5




FORGED LINCH PINS

SPINE A SCATTO (FORGIATO)

ZAWLECZKA KUTA



CODE	A	B	C	D	E
BFLP11	11	48	52	4	66
BFLP15	15	56	60	4	74



* Finish to order.
* Size to order.




LINCH PINS (Oval Shape)

SPINE A SCATTO

ZAWLECZKA



CODE	A	B	C	D	E	Shaft Dia
BLPO45035	35	6.5	23	4.5	2	from 10 to 15
BLPO50046	46	6.5	35	5	2.5	from 14 to 18
BLPO60054	54	7.5	36	6	3	from 18 to 22
BLPO80056	56	10	40	8	3.5	from 24 to 30
BLPO90056	56	11	40	9	3.5	from 26 to 32
BLPO10058	58	12.5	40	10	3.5	from 28 to 36
BLPO11058	58	12	40	11	3.5	from 30 to 38



LINCH PIN DIN 11023

SPINE A SCATTO

ZAWLECZKA



CODE	Size	B	C	D ₁	D ₂	I
BDLP50032	5x32	25	31.00	4.5	2.5	32
BDLP60042	6x42	32	44.80	5.5	3.6	42
BDLP80042	8x42	32	44.80	7.5	3.6	42
BDLP10045	10x45	32	44.80	9.5	3.6	45
BDLP12045	12x45	32	44.80	11.0	3.6	45
BDLP12055	12x55	45	52.00	11.0	4.0	55
BDLP17060	17x60	45	52.00	16.0	4.0	60



SPRING LINCH PIN

SPINE A SCATTO

ZAWLECZKA

CODE	DIA	TYPE
BSLP85	8.5	A
BSLP105	10.5	A
BSLP11	11	B



TYPE-A

TYPE-B


* Finish to order.
* Size to order.



SPECIAL PIPE LINCH PIN



CODE	A	B	C	D	E
BSPL1462	14	62	3	15.5	46




LINCH PIN FOR TUBE (SPECIAL)

SPINE A SCATTO PER TUBO
 ZAWLECZKA DO RUR



CODE	A	B	C	D	E
BPTOS0733	7	33	6	2.5	34
BPTOS0737	7	37	6	2.7	38
BPTOS0741	7	41	6	2.7	42
BPTOS0833	8	33	6	2.5	34
BPTOS0837	8	37	6	2.7	38
BPTOS0841	8	41	6	2.7	42
BPTOS0845	8	45	6	3.0	46
BPTOS1033	10	33	6	2.5	34
BPTOS1037	10	37	6	2.7	38
BPTOS1041	10	41	6	2.7	42
BPTOS1046	10	45	6	3.0	46




LINCH PIN FOR TUBE

SPINE A SCATTO PER TUBO
 ZAWLECZKA DO RUR



CODE	A	B	C	D
BPLP0640	6	40	3	18
BPLP0645	6	45	3	22
BPLP0840	8	40	3	18
BPLP0845	8	45	3	22
BPLP0850	8	50	3	25
BPLP1050	10	50	4	25
BPLP1058	10	58	4	25
BPLP1258	12	58	4	25



* Finish to order.
 * Size to order.




PTO PINS

SPINOTTIPER MOTOZAPPA
 SWORZEN PRZEKAZNIKA MOCY



CODE	A	B	C	D	E	F
BPTO0638R	6	45	38	12	6	2.5
BPTO0658R	6	65	58	12	6	2.5
BPTO0838R	8	45	38	15	7	2.5
BPTO0858R	8	65	58	15	7	2.5
BPTO1038R	10	45	38	18	8	2.5
BPTO1058R	10	65	58	18	8	2.5




PTO PINS

SPINOTTIPER MOTOZAPPA
 SWORZEN PRZEKAZNIKA MOCY



CODE	A	B	C	D	E	F
BPTO0645S	6	53	45	12	6	2.5
BPTO0657S	6	65	57	12	6	2.5
BPTO0857S	8	65	57	15	7	2.5
BPTO0863S	8	70	63	15	7	2.5
BPTO1057S	10	65	57	18	8	2.5
BPTO1063S	10	70	63	18	8	2.5
BPTO1070S	10	80	70	18	10	2.5



ROUND WIRE LOCK PIN WITH TAB



CODE	A	B	C	D	E	F
BWLP0763	14.00	71.5	63	7.5	6.5	2

PIPE LINCH PIN SPECIAL (GRADE 8.8)



CODE	A	B	C	D
BPLP2465	11.6	65	24	3.2


* Finish to order.
 * Size to order.



HAIR PIN / GRIP CLIP, SINGLE SPIRE

COPIGLIE A MOLLACADMIATE

ZAWLECZKA SPRĘŻYNOWA POJEDYNCZA



CODE	A	B	C	D
BRPS20044	2	44	13	10-12
BRPS20051	2	51	13	10-12
BRPS20057	2	57	17	10-12
BRPS25046	2.5	46	13	11-13
BRPS25062	2.5	62	13	11-13
BRPS30052	3	52	13	12-16
BRPS30061	3	61	13	12-16
BRPS35067	3.5	67	18	15-21
BRPS35080	3.5	80	18	15-21
BRPS40076	4	76	18	16-30
BRPS40083	4	83	18	16-30
BRPS40090	4	90	18	16-30
BRPS45083	4.5	83	20	16-30
BRPS45093	4.5	93	20	20-30
BRPS50100	5	100	24	20-35
BRPS50108	5	108	30	20-35
BRPS60114	6	114	24	28-45
BRPS60120	6	120	30	28-45
BRPS60115	6	115	42	28-45
BRPS70105	7	105	42	30-42
BRPS70163	7	163	45	30-45
BRPS80156	8	156	52	30-45
BRPS80162	8	162	45	45-60
BRPS10158	10	158	42	30-45

*Also available in AISI 304.

HAIR PIN / GRIP CLIP, DOUBLE SPIRE


COPIGLIE A MOLLAADOPPIGIRO

ZAWLECZKA SPRĘŻYNOWA PODWÓJNA




CODE	A	B	C	D
BRPD02065	2	65	13	10-12
BRPD03071	3	71	18	12-16
BRPD04077	4	77	22	16-30
BRPD04093	4	93	22	17-24
BRPD05116	5	116	26	17-28
BRPD06143	6	143	30	32-48
BRPD07162	7	162	30	30-45

*Also available in AISI 304.
*Also available in DIN 11024.




HAIR PIN, DOUBLE SPIRE, BLACK



CODE	A	B	C	D
BRPD03297	3.2	97	26	19

HAIR PIN, DOUBLE SPIRE, LONG



CODE	A	B	C	D
BRPD5190	5	190	26	17-28

* Finish to order.
* Size to order.



STOP SPRINGS

MOLLE FERMA GANCI



CODE	A	B	C	D
BSS30060	3	60	20	35
BSS40100	4	100	33	55
BSS50090	5	90	31	42
BSS60100	6	100	30	50



SPLIT PINS

SPLIT PINS

ZAWLECZKA ROZGINANA



CODE	A	B	C
BCP1620	1.6	20	28
BCP1625	1.6	25	33
BCP2020	2.0	20	28
BCP2025	2.0	25	33
BCP2028	2.0	28	35
BCP2032	2.0	32	40
BCP2040	2.0	40	50
BCP2520	2.5	20	28
BCP2540	2.5	40	50
BCP3225	3.2	25	35
BCP3240	3.2	40	50
BCP4025	4.0	25	35
BCP4032	4.0	32	45
BCP4036	4.0	36	48
BCP5050	5.0	50	63
BCP5070	5.0	70	85
BCP6350	6.3	50	64
BCP6370	6.3	70	85
BCP6380	6.3	80	98
BCP8063	8.0	63	87
BCP8080	8.0	80	104
BCP80100	8.0	100	124
BCP80125	8.0	125	150
BCP1063	10.0	63	91
BCP10125	10.0	125	153
BCP13125	15.0	125	160
BCP13140	13.0	140	175

S-HOOKS



CODE	A	B	C
BSH0325	3	25	3.5
BSH0435	4	35	4.0
BSH0545	5	45	5.0
BSH0655	6	55	6.0
BSH0765	7	65	8.0
BSH0875	8	75	9.5

* Finish to order.
* Size to order.



STANDARD CLEVIS PINS

PERNO STANDARD
STANDARD SWORZEN Z PŁASKIM ŁBEM I
OTWOREM NA ZAWLECZKĘ



CODE	A	B	C	D
BSCP4516	4.5	16	2.5	9
BSCP6020	6.0	20	2.5	10
BSCP6025	6.0	25	2.5	10
BSCP8019	8.0	19	3	12
BSCP8024	8.0	24	3	12
BSCP8028	8.0	28	3	12
BSCP8032	8.0	32	3	12
BSCP8038	8.0	38	3	12
BSCP8045	8.0	45	3	12
BSCP1025	10.0	25	4	12
BSCP1032	10.0	32	4	14
BSCP1045	10.0	45	4	14
BSCP1132	11.0	32	4	15
BSCP1145	11.0	45	4	15
BSCP1238	12.0	38	4	16
BSCP1250	12.0	50	4	16




UNIVERSAL CLEVIS PINS

PERNO DELLA FOR CELLA UNIVERSALE
UNIERSALNY SWORZEN Z PŁASKIM ŁBEM I
OTWOREM NA ZAWLECZKĘ



CODE	A	B	C	D	No. of Holes
BUCP6050	6.0	50	2.5	9	5
BUCP8050	8.0	50	3	12	5
BUCP1050	10.0	50	4	14	5
BUCP1150	11.0	50	4	15	5
BUCP1163	11.0	63	4	15	5
BUCP1176	11.0	76	4	15	7
BUCP1250	12.0	50	4	16	5
BUCP1263	12.0	63	4	16	7
BUCP1276	12.0	76	4	16	7
BUCP1676	16.0	76	5	20	7
BUCP1976	19.0	76	6	24	7



* Finish to order.
* Size to order.




HITCH PINS

SPINOTTO D' ATTACCO
SWORZEN ZACZEPU



CODE	A	B	C	D
BHP12089	12.7	89	4	127
BHP12102	12.7	102	4	136
BHP12108	12.7	108	5	144
BHP12114	12.7	114	5	150
BHP16089	15.9	89	5	127
BHP16102	15.9	102	5	136
BHP16108	15.9	108	5	144
BHP16114	15.9	114	5	150
BHP16127	15.9	127	6	165
BHP16152	19	152	6	192
BHP19102	19	102	8	136
BHP19108	19	108	8	144
BHP19114	19	114	8	150
BHP19127	19	127	8	165
BHP19140	19	140	8	178
BHP19152	19	152	8	190
BHP19158	22	158	8	196
BHP22108	22	108	10	144
BHP22114	22	114	10	150
BHP22127	22	127	10	165
BHP22152	22	152	10	190
BHP22158	22	158	10	198
BHP22165	22	165	10	204
BHP25108	25.4	108	10	144
BHP25114	25.4	114	10	150
BHP25152	25.4	152	10	190
BHP25158	25.4	158	10	204
BHP25165	25.4	165	10	228
BHP25190	25.4	190	10	225
BHP28114	28	114	12	150
BHP28152	28	152	12	198
BHP28158	28	158	12	198
BHP28165	28	165	12	204
BHP28190	28	190	12	228
BHP32152	32	152	12	190
BHP32158	32	158	12	198
BHP32165	32	165	12	204
BHP32190	32	190	12	230
BHP35190	35	190	12	230
BHP38190	38	190	12	230



RIVET HEAD PIN



CODE	A	B	C	D	E	E1	Hole
BRHP1670	16	70	77	25	86	96	5mm




* Finish to order.
* Size to order.



HITCH PIN WITH CHAIN & LINCH PIN

SPINOTTO D'ATTACCO

SWORZEN ZACZEPU Z ŁANCUSZKIEM I ZAWLECZKA



CODE	A	B	C	D
BHPWLP12093	12.7	92.5	6.5	127
BHPWLP12111	12.7	111	6.5	146
BHPWLP16103	15.9	103	6.5	136
BHPWLP16111	15.9	111	6.5	146
BHPWLP16165	15.9	165	6.5	200
BHPWLP19102	19	102	6.5	140
BHPWLP19110	19	110	6.5	147
BHPWLP19111	19	111	8.5	148
BHPWLP19115	19	115	12	153
BHPWLP19164	19	165	8.5	200
BHPWLP19165	19	165	6.5	204
BHPWLP19166	19	165	8.5	204
BHPWLP22115	22	115	6.5	153
BHPWLP22128	22	128	6.5	168
BHPWLP22164	22	165	6.5	200
BHPWLP22165	22	165	10	204
BHPWLP25165	25	165	10	204
BHPWLP25166	25	165	6.5	204
BHPWLP25189	25	189	12	227
BHPWLP28100	28	100	12	138
BHPWLP28120	28	120	10	158
BHPWLP28156	28	156	12	196
BHPWLP28165	28	165	6.5	204
BHPWLP28190	28	190	6.5	228
BHPWLP28189	28	189	12	228
BHPWLP30183	30	183	12	220
BHPWLP32162	32	162	6.5	204
BHPWLP32189	32	189	12	227
BHPWLP32165	32	165	10	204
BHPWLP32191	32	191	6.5	228
BHPWLP35189	35	189	12	227
BHPWLP38187	38	187	12	227


ORANGE HITCH PIN WITH HAIR PIN

SPINOTTO D'ATTACCO

POMARAŃCZOWY SWORZEN ZACZEPU



CODE	A	B	C	D
BOHP16155	16	155	4	192
BOHP19104	19	104	5	141
BOHP19162	19	162	5	199
BOHP22168	22	168	5	205
BOHP25175	25.4	175	6	212



* Finish to order.
* Size to order.




HITCH PIN WITH HAIR PIN

SPINOTTO D'ATTACCO

SWORZEN ZACZEPU Z ZAWLECZKA



CODE	A	B	C	D
BHPWRP12090	12.7	90	4.0	125
BHPWRP12105	12.7	105	3.0	142
BHPWRP12110	12.7	110	4.0	147
BHPWRP16105	15.9	105	4.0	136
BHPWRP16149	15.9	149	3.5	186
BHPWRP16162	16	162	4.0	199
BHPWRP19098	19	98	4.5	130
BHPWRP19110	19	110	4.5	147
BHPWRP19157	19	157	4.5	194
BHPWRP19162	19	162	4.5	199
BHPWRP22110	22	110	5.0	147
BHPWRP22157	22	157	5.0	194
BHPWRP22162	22	162	5.0	199
BHPWRP25103	25	103	5.0	140
BHPWRP25110	25.4	110	5.5	147
BHPWRP25158	25	158	6.0	194
BHPWRP25162	25	162	6.0	199
BHPWRP25181	25	181	6.0	214
BHPWRP25118	25	118	6.0	155
BHPWRP28183	28	183	7.0	220
BHPWRP28162	28.6	162	6.5	199
BHPWRP32162	32	162	7.0	199




RED HANDLE HITCH PIN

SPERNI RIGIDI CON MANIGLIA IN GOMMA

CZERWONY SWORZEN ZACZEPU



CODE	A	B
BRHHP12095	12.7	95
BRHHP16105	15.8	105
BRHHP16143	15.8	143
BRHHP19105	19	105
BRHHP19165	19	165
BRHHP22105	22	105
BRHHP22165	22.4	165
BRHHP25118	25.4	115
BRHHP25133	25.4	133
BRHHP25203	25.4	203
BRHHP28220	28.5	220
BRHHP32220	31.75	220
BRHHP38220	38.1	220



* Finish to order.
* Size to order.




BENT HANDLE HITCH PIN

PERNO CON MANIGLIA
 SWORZEN ZACZEPU WYGIĘTY



CODE	A	B	C
BBHHP19123	19	123	12
BBHHP19135	19	135	12
BBHHP19175	19	175	12
BBHHP22123	22	123	12
BBHHP22135	22	135	12
BBHHP22175	22	175	12
BBHHP25123	25	123	12
BBHHP25135	25	135	12
BBHHP25175	25	175	12
BBHHP28135	28	135	12
BBHHP28175	28	175	12
BBHHP28123	28	123	12
BBHHP32175	32	175	12




BENT HANDLE HITCH PIN WITH CHAIN & R-PIN

PERNO CON MANIGLIA
 SWORZEN ZACZEPU WYGIĘTY



CODE	A	B	C	D	E	F	G
------	---	---	---	---	---	---	---

BBHHP30112	30	112	5.7	125	5.5	35.2	11.7
------------	----	-----	-----	-----	-----	------	------




BENT HANDLE HITCH PIN

PERNO CON MANIGLIA
 SWORZEN ZACZEPU WYGIĘTY



CODE	A	B	C	D	E	F
------	---	---	---	---	---	---

BBHHP2556	24.7	56.4	7.5	74	10	126
-----------	------	------	-----	----	----	-----



* Finish to order.
 * Size to order.




BENT TYPE HITCH PIN

PERNO PIEGATO DEL TIPO
 SWORZEN ZACZEPU WYGIĘTY



CODE	A	B	C	D
BBHP12076	12.7	76	4	85
BBHP16076	15.9	76	5	88
BBHP16089	15.9	89	5	102
BBHP19089	19	89	5	102
BBHP19099	19	99	5	111




WIRE LOCK HITCH PIN

PERNO CON LA SERRATURA DEL LEGARE
 SWORZEN ZACZEPU Z ZAWLECZKĄ




CODE	A	B	C
BWLHP12102	12	102	140
BWLHP16102	16	102	140
BWLHP19102	19	102	140
BWLHP19152	19	152	190
BWLHP22152	22	152	190
BWLHP25152	25	152	190



TOP LINK WITH, CHAIN & LINCH PIN

CODE	A	B	C	D	E	F	G	H	I	J
------	---	---	---	---	---	---	---	---	---	---

BTLWLP2498	24	98	11.5	135.5	17.5	34	2	10.5	44	3.2
------------	----	----	------	-------	------	----	---	------	----	-----




* Finish to order.
 * Size to order.



TOP LINK PINS

PERNO PER 3° PUNTO CON BATTUTA
SWORZEN ŁĄCZNIKA GÓRNEGO




CODE	A	B	C	D	E
BTLP16076	15.9	76	113	19	7
BTLP16082	15.9	82	112	19	7
BTLP19052	19	52	90	22	12
BTLP19057	19	57	90	22	12
BTLP19076	19	76	112	22	12
BTLP19092	19	92	127	22	12
BTLP19095	19	95	133	28	12
BTLP19105	19	105	135	28	10
BTLP19125	19	125	155	28	10
BTLP19145	19	145	175	28	10
BTLP22076	22	76	114	25	12
BTLP22094	22	94	132	25.4	12
BTLP22105	22	105	136	34	12
BTLP22110	22	110	140	25	12
BTLP22125	22	125	158	30	11
BTLP22145	22	145	178	30	11
BTLP25076	25	76	115	28	12
BTLP25085	25	85	124	32	11
BTLP25095	25	95	132	28	12
BTLP25125	25	125	156	32	11
BTLP25086	25.4	86	123	28	12
BTLP25110	25.4	110	148	28	12
BTLP25116	25.4	116	154	28	12
BTLP25142	25.4	142	180	28	12
BTLP28103	28	103	145	32	12
BTLP28125	28	125	156	34	12
BTLP28145	28	145	178	34	12
BTLP28159	28.6	159	197	32	12
BTLP31118	31.7	118	160	38	12
BTLP32105	32	105	145	42	12
BTLP32125	32	125	164	38	12
BTLP32136	32	136	175	38	12

SPECIAL TOP LINK PINS

PERNO D'ATTACCO ASALDARE
SPECJALNY SWORZEN ŁĄCZNIKA GÓRNEGO



CODE	A	B	C	D	E	F
BTLP120575	12	57	70	18	4	5.0
BTLP160815	16	81	98	24	4.5	6.5
BTLP160595	16	59	76	24	7	6.5
BTLP190605	19	60	82	27	7	6.5
BTLP190935	19	93	112	27	6	6.5
BTLP221205	22	120	151	37	15	8.5
BTLP221355	22	135	170	37	15	8.5
BTLP251205	25	120	158	40	15	8.5
BTLP251755	25	175	214	40	15	8.5
BTLP281555	28	155	193	45	15	10.5
BTLP190805	19	80	120	25	15	11.5
BTLP220605	22	60	95	28	15	11.5
BTLP250855	25	85	125	32	15	11.5
BTLP280605	28	60	95	34	15	11.5



* Finish to order.
* Size to order.




SQUARE HEAD PINS

PERNIA TESTA QUADRA FIAT
SWORZEN Z KWADRATOWYM ŁBEM



CODE	A	B	C	D	E	F	G
BSHP19088	19	88	109	40	65	8	6
BSHP24088	24	88	109	40	65	8	6




CYLINDER PINS

PERNO DEL CILINDRO
SWORZEN CYLINDRA



CODE	A	B	C	D	E
BCLP18052	18	52	70	6	6
BCLP18072	18	72	90	6	6
BCLP18082	18	82	100	6	6
BCLP20058	20	58	76	6	6
BCLP22052	22	52	70	6	6
BCLP24091	24	91	109	6	6
BCLP26057	26	57	76	6	6
BCLP28091	28	91	109	6	6




TOP LINK PIN WITHOUT HEAD

PERNO CON VERSO L'ESTERNO LA TESTA
SWORZEN ŁĄCZNIKA GÓRNEGO BEZ ŁBA



CODE	A	B	C	D	E
BTLP0H19140	19	96	140	12	22
BTLP0H19170	19	126	170	12	22
BTLP0H19207	19	163	207	12	22
BTLP0H19254	19	210	254	12	22
BTLP0H25164	25	120	164	12	22




* Finish to order.
* Size to order.



INTER CHANGEABLE IMPLEMENT MOUNTING PINS

PERNO INTERCAMBIABILE PER ATTACCO ATTREZZI

WYMIENNY SWORZEŃ ZAWIESZENIA NARZĘDZI




CODE	A	B	C	D	E	F	G	H	I	J
BDMP20200	22	22	28	55	115	40	67	12	6.5	200
BDMP25200	25	22	28	55	115	40	67	12	6.5	200

DOUBLE IMPLEMENT MOUNTING PINS

PERNO DOPPIO INTERCAMBIABILE PER ATTACCO ATTREZZI

PODWÓJNY SWORZEŃ ZAWIESZENIA NARZĘDZI



CODE	A	B	C	D	E	F	G	H	I	J
BDMP25210	25	19	40	70	100	80	20	12	12	210
BDMP25212	25	19	38	96	78	62	22	12	12	212
BDMP25170	25	19	26	66	78	70	18	6.5	6.5	170
BDMP28200	28	22	35	75	90	75	20	12	12	200
BDMP28210	28	22	40	70	100	80	20	12	12	210
BDMP28230	28	22	40	90	100	80	20	12	12	230
BDMP28229	28.6	22.2	40	89	100	80	20	12	12	229
BDMP32250	32	25	40	115	95	81	26	12	12	250
BDMP36277	36.5	28	36	150	91	81	26	12	12	277
BDMP36290	36.5	28	45	150	95	80	28	12	12	290


* Finish to order.
* Size to order.



IMPLEMENT PINS

PERNO UNIVERSALE

SWORZEŃ ZAWIESZENIA NARZĘDZI



CODE	A	B	C	D	E	F	G	H
BDMP19156	19	16	74	82	156	16.5	55	5
BDMP22168	22	16	80	88	168	12	68	5
BDMP25166	25	19	85	81	166	18	53	5
BDMP25160	25	19	80	80	160	18	53	5
BDMP25180	25	19	90	90	180	18	57	5
BDMP28180	28	22	90	90	180	18	57	5
BDMP28175	28	22	90	85	175	16.5	50	6
BDMP28180	28	22	90	90	180	16.5	61	6
BDMP32178	32	25	83	95	178	18	62	6.5
BDMP32172	32	25	80	92	172	22	55	6.5

WELD ON END MOUNTING PINS

PERNO DOPPIO DA SALDARRE PER ATTACCO ATTREZZI

SWORZEŃ ZAWIESZENIA NARZĘDZI Z PRZYSAPANĄ KONCÓWKĄ



CODE	A	B	C	D	E	F	G
BWOMP0	28	22	62.5	84.5	70.5	47	12
BWOMP1	28	22	76.5	104.5	88	60	12
BWOMP2	28	22	85	105	85	62	12
BWOMP3	28	22	103	78	60	87.3	12
BWOMP4	28	22	120	56	39	92	12
BWOMP5	28.6	22	76	105	87.3	60	12
BWOMP6	34	28	61	80	62	43.5	12


* Finish to order.
* Size to order.



LOWER LINK PINS

PERNO PER ATTACCO ATTREZZI

SWORZEN ŁĄCZNIKA DOLNEGO



CODE	A	B	C	D	E	F	G	H	I
BLLP2201M	22	50	130	40	5	20x1.5	20	32	38
BLLP2202M	22	50	140	40	14	22x1.5	22	30	38
BLLP2203M	22	50	140	40	14	22x1.5	28	30	38
BLLP2204U	22	51	149	54	11	7/8"UNF	22	30	36
BLLP2205U	22	51	140	48	6	3/4"UNF	19	30	36
BLLP2206U	22	51	140	43	11	5/8"UNF	22	30	36
BLLP2207U	22	51	146	38	22	7/8"UNF	28.6	30	36
BLLP2208U	22	51	146	50.8	9.5	7/8"UNC	28.6	32	38
BLLP2209U	22	51	146	50.8	9.5	1" UNF	25.4	30	36
BLLP2210U	22	51	138	38	14	7/8"UNF	28.6	30	36
BLLP2211M	22	51	128	38	10	20x1.5	20	30	36
BLLP2212M	22	51	128	38	10	20x1.5	20	30	36
BLLP2213M	22	60	150	40	20	22x1.5	22	32	38
BLLP2214M	22	60	150	40	20	22x1.5	28	32	38
BLLP2215M	22	60	146	40	20	22x1.5	25	32	32
BLLP2216U	22	51	140	45	10	7/8"UNF	22	30	34
BLLP2217U	22	64	165	56	16	7/8"UNF	22.2	32	38
BLLP2218M	25	60	150	40	20	22x1.5	25	34	40
BLLP2219M	25	60	150	40	20	22x1.5	28	32	38
BLLP2220M	28	50	155	30	50	30x2.0	30	48	50
BLLP2221M	28	55	150	45	14	22x1.5	24	36	42
BLLP2222M	28	55	150	45	15	24x1.5	24	37	43
BLLP2223M	28	55	150	45	14	27x1.5	28	38	43


* Finish to order.
* Size to order.



LOWER LINK PINS

PERNO PER ATTACCO ATTREZZI

SWORZEN ŁĄCZNIKA DOLNEGO



CODE	A	B	C	D	E	F	G	H	I
BLLP22624M	28	58	147	48	10	27x1.5	27	37	43
BLLP22625M	28	58	147	48	10	27x1.5	27	48	50
BLLP22626M	28	60	150	45	14	22x1.5	22	38	44
BLLP22627M	28	60	150	40	20	22x1.5	28	38	44
BLLP22628M	28	60	150	40	20	22x1.5	22	38	44
BLLP22629M	28	60	150	40	20	22x1.5	24	38	44
BLLP22630M	28	62	147	38	20	22x1.5	28	48	50
BLLP22631M	28	64	160	38	25	27x1.5	28	38	44
BLLP22632M	28	65	160	30	40	30x2	30	48	50
BLLP22633M	28	71	160	40	30	30x2	30	48	50
BLLP22634U	28.6	51	133.5	42	11	7/8"UNF	22	37	43
BLLP22635U	28	51	159	60	16	9/8"UNF	28.6	38	44
BLLP22636U	28.6	51	149	36.5	24	3/4"UNF	25.4	38	44
BLLP22637U	28.6	57	159	60	16	9/8"UNF	28.6	37	43
BLLP22638U	28.6	60	149	51	9.5	9/8"UNC	28.6	37	43
BLLP22639U	28.6	60	149	50.8	9.5	1" UNF	25.4	38	44
BLLP22640U	28.6	60	149	54	6.3	3/4"UNF	19	38	44
BLLP22641U	28.6	60	149	38	22	7/8"UNF	28.6	38	44
BLLP22642U	28.6	60	136.5	35	12.7	7/8"UNF	22	38	44
BLLP22643U	28.6	60	145	44	12.7	7/8"UNF	22	38	44
BLLP22644U	28.6	63.15	160	54	14	7/8"UNF	22.2	38	44
BLLP22645U	36	54	149	48	16	9/8"UNF	28.6	46	52
BLLP22646U	36.5	58	149	45	14	1.3/8UNF	35	45	52
BLLP22647M	36.5	61	165	60	11	27x1.5	27	48	50


* Finish to order.
* Size to order.



ADJUSTABLE LOWER LINK PINS

PERNO PER ATTACCO ATTREZZI (REGISTRABILE)


CODE	A	B	C	D	E	F
BALLP16102	16	33	102	56	7	5/8" UNF
BALLP22135	22	46	135	70	12	7/8" UNF
BALLP22159	22	60	159	88	12	7/8" UNF
BALLP28133	28.6	50.8	133	62	12	7/8" UNF
BALLP28152	28.6	60	152.4	73	12	1" UNC
BALLP28153	28.6	60	152.4	76	12	1.1/8" UNC
BALLP28159	28.6	60	159	85	12	1.1/8" UNF



STABILIZER PINS

PERNO D'STABILIZZATORI

STABILIZZATORA SWORZEN



CODE	A	B	C	D	E	F	G	H	I
BSP190	19	19	19	27	3.5	3/4" UNF	28.6	35	73
BSP221	22	17	15.9	29	3.5	5/8" UNF	28.6	32	67
BSP222	22	18.7	15.9	29.5	3.5	5/8" UNF	28.6	32	73
BSP223	22	32	15.9	29	3.5	5/8" UNF	28.6	32	79


* Finish to order.
* Size to order.



ADJUSTABLE LEVELLING ARM

BRACCIO DI SOLLEVAMENTO

REGULOWANE RAMIĘ CIĘGNA



CODE	L (min)	L (max)	L1	D	d	H	h	H1	h1
BALA18200	380	530	200	22x2.5	18	30	60	24	72
BALA18260	450	600	260	24x3	18	40	70	24	72
BALA18290	500	650	290	27x3	18	40	70	24	72


STABILIZER ENDS

TESTA TONDA

KOŃCÓWKA STABILIZATORA



CODE	L	d	d1	D
BSE01	97	16x2	46	18
BSE02	115	20x2.5	46	18
BSE03	115	22x2.5	50	20




EYE ENDS

PERNO AD OCCHIO CON DADO PER STABILIZZATORI

KOŃCÓWKA OCZKOWA



CODE	A	B	C	D	E
BEE101	1/4"	1-1/2"	2"	3"	1/2"
BEE102	5/16"	1-1/2"	2-1/4"	3-1/2"	5/8"
BEE103	3/8"	1-1/2"	2-1/2"	4"	3/4"
BEE104	1/2"	1-1/2"	3-1/4"	5-1/4"	1"
BEE105	6/8"	1-3/4"	4"	6-1/2"	1-1/4"
BEE106	1/4"	2-1/2"	4"	5"	1/2"
BEE107	5/16"	2-1/2"	4-1/4"	5-1/2"	5/8"
BEE108	3/8"	2-1/2"	6"	7-1/2"	3/4"
BEE109	1/2"	3"	6"	7-3/4"	1"



* Finish to order.



UK BKTLO1 : KUBOTA TYPE KITS BKTLO2 : ISEKI TYPE KITS
WITH TOP LINK ASSEMBLY

IT KIT COMPLETO RICAMBIO TIPO KUBOTA & ISEKI

PL ZESTAW TYP KUBOTA ZESTAW TYP ISEKI Z ZESPOŁEM ŁĄCZNIKA CENTRALNEGO



Also available in 16x500, 16x600



UK KUBOTA TYPE BASE BRACKET

IT ATTACC03° PUNTOTRATTORI KUBOTA

PL WSPÓRNIK PODSTAWY TYP KUBOTA




Used in Series
4000, 5000, 7000, 7001, 1400, 1500, 1600



UK ISEKI TYPE BASE BRACKET

IT ATTACC03° PUNTOTRATTORI ISEKI

PL WSPÓRNIK PODSTAWY TYP ISEKI




CODE	A	B	C	D	E	F	G	H	I	J
BTB03	45	20	15,0	90	115	125	72.50	43,0	23,0	71,0



LOWER LINK BALLS

ROTULA PER BRACCIO INFERIORE

KULA PRZEGUBU TYLNA ŁĄCZNIKA CENTRALNEGO




CODE	A	B	C
BLLB441935	44.5	19	35
BLLB442235	44	22.1	35
BLLB452235	44.5	22.1	35
BLLB462833	46	28.4	33.5
BLLB482235	48	22.1	35
BLLB482535	48	25.4	35
BLLB502540	50	25.4	40
BLLB502940	50	29	40
BLLB503825	50.8	38	25
BLLB543555	54	35	55
BLLB562235	56	22.1	35
BLLB562245	56	22.1	45
BLLB562535	56	25.4	35
BLLB562835	56	28.4	35
BLLB562838	56	28.4	38
BLLB562845	56	28.4	45
BLLB562945	56	28.6	45
BLLB572945	56.5	28.6	45
BLLB572845	56.8	28.4	44.8
BLLB572235	57	22.1	35
BLLB572535	57	25.4	35
BLLB572538	57	25.4	38
BLLB572835	57	28.4	35
BLLB572838	57	28.4	38
BLLB572842	57	28.4	42
BLLB572844	57	28.4	44.5
BLLB602551	60	25.4	51
BLLB622845	62.5	28.6	45
BLLB623745	62.5	37	45
BLLB633745	63.5	37	45
BLLB642245	64	22	45
BLLB642845	64	28.4	45
BLLB643845	64	38	45
BLLB643045	64	30.5	45
BLLB643245	64	32.5	45
BLLB643545	64	35.5	45
BLLB643745	64	37.5	45

BALL WITH CUT

ROTULA PER BRACCIO INFERIORE

KULA PRZEGUBU Z NACIĘCIEM



CODE	A	B	C	D	E
BBWC22	56.5	22	35	10	R35
BBWC28	56.5	28.6	44.5	10	R35


* Finish to order



TOP LINK BALLS

ROTULA PER GANCIO SUPERIORE

KULA PRZEGUBU PRZEDNIA ŁĄCZNIKA CENTRALNEGO




CODE	A	B	C
BTLB321625	32	16	25.4
BTLB381525	38	15.9	25.4
BTLB381941	38	19	41
BTLB381944	38	19	44
BTLB382044	38	20	44
BTLB461944	46	19	44
BTLB462044	46	20	44
BTLB462541	46	25.4	41
BTLB462544	46	25.4	44
BTLB462545	46	25.4	45
BTLB462551	46	25.4	51
BTLB502251	50	22.1	51
BTLB502544	50	25.4	44
BTLB502551	50	25.4	51
BTLB511944	50.8	19	44
BTLB512544	50.8	25.4	44.5
BTLB512844	50.8	28.4	44.5
BTLB542551	54	25.4	51
BTLB543055	54	30	55
BTLB543251	54	32	51
BTLB543555	54	35	55
BTLB602551	60	25.4	51
BTLB603151	60	31.7	51
BTLB602550	60	25.4	50
BTLB603250	60	32.5	50

BALL (DOUBLE BORE)

ROTULE DI RICAMBIO

KULA PRZEGUBU (PODWOJNA ŚREDNICA OTWÓRU)



CODE	A	B	C
BBDB2228	56	22.1/28.7	44.5


* Finish to order



GUIDE CONE BALL
CONI GUIDA CON ROTULA
PROWADNICA KULOWA STOŻKOWA




CODE	A	B	C	D
BGCB5628	56	28.4	68	20
BGCB5637	56	37.6	68	20
BGCB6428	64	28.4	72	20
BGCB6432	64	32.5	72	20
BGCB6437	64	37	72	20



SPACERS
DISTANZIALIPER ROTULE SENZA CONO
PRZEKŁADKA




CODE	A	B	C
BS2856	28	56	7
BS2864	28	64	7
BS3864	38	64	7



REPLACEMENT BUSHES
BUSSOLE DI RIDUZIONE
PANEWKI ZAMIENNE




CODE	A mm	B mm	C mm
BRB191641	19	16	41
BRB221635	22	16	35
BRB251941	25.4	19	41
BRB251951	25.4	19	50.8
BRB282245	28.4	22.2	44.5
BRB282263	28.4	22.2	63
BRB282235	28.6	22.2	35
BRB282244	28.6	22.2	44
BRB282251	28.6	22.2	50.8
BRB322551	32	25.4	50.8
BRB362845	36.5	28.6	44.5



TINE BUSHES
BUSSOLE CENTRAGGIO PUNTE
PANEWKI ZĘBOWE



CODE	Outer ØA mm	Inner ØB mm	Inner ØC mm	Length D mm	Depth E mm	Angle F Ship	Weight kg.
BTB00101	38	25.4	31	95	74	4°30'	0.3
BTB00102	40	23	25	105	78	5°	0.45
BTB00103	41	24	32	110	79	5°	0.51
BTB00104	41	24	32	110	79	5°	0.6
BTB00105	41	25.4	30	108	80	5°30'	0.5
BTB00106	45	25	0	110	0	5°	0.765
BTB00107	50	23	29	110	85	6°	1.8
BTB00108	50	25	29	110	85	6°	1.08
BTB00109	50	28	0	105	0	10°	1.05
BTB00110	50	30	36	108	80	5°30'	0.76
BTB00111	50	30	39	110	84	6°	1.63
BTB00112	51	25	32	110	109	5°30'	1.085
BTB00113	51	30	38	110	86	5°	0.755
BTB00114	55	32	0	120	0	4°30'	1.24
BTB00115	57	12.59	40	120	105	5°30'	0
BTB00116	33	0	14	63	46	3°	0.292
BTB00117	33	0	16.5	63	48	1.5°	0.281
BTB00118	33	0	16.5	63	48	1.5°	0.263
BTB00119	33	0	16.5	63	48	1.5°	0.281
BTB00120	33	0	16.5	63	48	1.5°	0.256
BTB00121	45	22	28	97	75	5°	1.27
BTB00122	50	32	39	110	84	5.5°	1.02
BTB00123	60	32	39	110	84	5.5°	1.8






TOP LINK ASSEMBLIES

BRACCIO 3PUNTO COMPLETO

ZESPÓŁ ŁĄCZNIKA CENTRALNEGO



CODE	CAT d1-d2	PIPE/L1	THREAD D	MIN.	MAX.
BTL1900190	0-0	7.1/2"	3/4 UNC	280	415
BTL1900248	0-0	9.3/4"	3/4 UNC	340	470
BTL2811178	1-1	7"	1.1/8 UNC	290	375
BTL2812178	1-2	7"	1.1/8 UNC	300	380
BTL2822178	2-2	7"	1.1/8 UNC	305	385
BTL2811228	1-1	9"	1.1/8 UNC	345	475
BTL2812228	1-2	9"	1.1/8 UNC	350	485
BTL2822228	2-2	9"	1.1/8 UNC	355	490
BTL2811260	1-1	11.1/4"	1.1/8 UNC	405	610
BTL2812260	1-2	11.1/4"	1.1/8 UNC	415	615
BTL2822260	2-2	11.1/4"	1.1/8 UNC	420	620
BTL2811330	1-1	13"	1.1/8 UNC	445	680
BTL2812330	1-2	13"	1.1/8 UNC	450	685
BTL2822330	2-2	13"	1.1/8 UNC	460	690
BTL2811368	1-1	14.1/2"	1.1/8 UNC	485	685
BTL2812368	1-2	14.1/2"	1.1/8 UNC	495	690
BTL2822368	2-2	14.1/2"	1.1/8 UNC	510	800
BTL2811406	1-1	16"	1.1/8 UNC	520	710
BTL2812406	1-2	16"	1.1/8 UNC	525	720
BTL2822406	2-2	16"	1.1/8 UNC	535	825
BTL2811438	1-1	17.1/4"	1.1/8 UNC	550	745
BTL2812438	1-2	17.1/4"	1.1/8 UNC	560	750
BTL2822438	2-2	17.1/4"	1.1/8 UNC	565	860
BTL2811508	1-1	20"	1.1/8 UNC	620	815
BTL2812508	1-2	20"	1.1/8 UNC	630	820
BTL2822508	2-2	20"	1.1/8 UNC	635	925
BTL2811610	1-1	24"	1.1/8 UNC	725	915
BTL2812610	1-2	24"	1.1/8 UNC	730	920
BTL2822610	2-2	24"	1.1/8 UNC	735	1030
BTL3222380	2-2	15"	1.1/4 UNC	508	785
BTL3222482	2-2	19"	1.1/4 UNC	610	895



* Finish to order



TOP LINK ASSEMBLIES

BRACCIO 3PUNTO COMPLETO

ZESPÓŁ ŁĄCZNIKA CENTRALNEGO




THREAD M 22 X 2.5

CODE	CAT d1-d2	PIPE/L1	THREAD D	MIN.	MAX.
BTL2211180	1-1	180	M22x2.5	290	440
BTL2211220	1-1	220	M22x2.5	330	480
BTL2211230	1-1	230	M22x2.5	340	490
BTL2211300	1-1	300	M22x2.5	410	560
BTL2211280	1-1	280	M22x2.5	390	540

THREAD M 24 X 3

CODE	CAT d1-d2	PIPE/L1	THREAD D	MIN.	MAX.
BTL2411120	1-1	120	M24x3	230	410
BTL2411140	1-1	140	M24x3	250	430
BTL2411150	1-1	150	M24x3	260	440
BTL2411165	1-1	165	M24x3	275	445
BTL2411180	1-1	180	M24x3	290	470
BTL2411200	1-1	200	M24x3	310	490
BTL2411230	1-1	230	M24x3	340	520
BTL2411250	1-1	250	M24x3	360	540
BTL2411270	1-1	270	M24x3	380	560
BTL2411300	1-1	300	M24x3	410	590
BTL2411330	1-1	330	M24x3	440	620
BTL2411370	1-1	370	M24x3	470	650
BTL2411400	1-1	400	M24x3	500	680



* Finish to order



TOP LINK ASSEMBLIES

BRACCIO 3PUNTO COMPLETO

ZESPÓŁ ŁĄCZNIKA CENTRALNEGO




THREAD M 27x3

CODE	CAT d1-d2	PIPE/L1	THREAD D	MIN.	MAX.
BTL2711275	1-1	275	M27x3	395	625
BTL2722275	2-2	275	M27x3	395	645
BTL2711320	1-1	320	M27x3	440	670
BTL2712320	1-2	320	M27x3	440	680
BTL2722320	2-2	320	M27x3	440	690
BTL2711350	1-1	350	M27x3	470	700
BTL2712350	1-2	350	M27x3	470	710
BTL2722350	2-2	350	M27x3	470	720
BTL2711370	1-1	370	M27x3	490	720
BTL2712370	1-2	370	M27x3	490	730
BTL2722370	2-2	370	M27x3	490	740
BTL2711380	1-1	380	M27x3	500	730
BTL2712380	1-2	380	M27x3	500	740
BTL2722380	2-2	380	M27x3	500	750
BTL2711400	1-1	400	M27x3	520	750
BTL2712400	1-2	400	M27x3	520	760
BTL2722400	2-2	400	M27x3	520	770
BTL2711430	1-1	430	M27x3	550	780
BTL2712430	1-2	430	M27x3	550	790
BTL2722430	2-2	430	M27x3	550	800
BTL2711450	1-1	450	M27x3	570	800
BTL2712450	1-2	450	M27x3	570	810
BTL2722450	2-2	450	M27x3	570	820
BTL2711470	1-1	470	M27x3	590	820
BTL2712470	1-2	470	M27x3	590	830
BTL2722470	2-2	470	M27x3	590	840
BTL2711500	1-1	500	M27x3	620	850
BTL2712500	1-2	500	M27x3	620	860
BTL2722500	2-2	500	M27x3	620	870
BTL2722550	2-2	550	M27x3	670	920
BTL2722570	2-2	570	M27x3	690	940

THREAD M 30x3 (HEAVY DUTY PIPE)

CODE	CAT d1-d2	PIPE/L1	THREAD D	MIN.	MAX.
BTL3022330H	2-2	330	M30x3	460	700
BTL3022370H	2-2	370	M30x3	500	740
BTL3022400H	2-2	400	M30x3	530	770
BTL3022450H	2-2	450	M30x3	580	820
BTL3022500H	2-2	500	M30x3	630	870
BTL3022600H	2-2	600	M30x3	730	970



TOP LINK ASSEMBLIES

BRACCIO 3PUNTO COMPLETO

ZESPÓŁ ŁĄCZNIKA CENTRALNEGO



THREAD M 30x3


CODE	CAT d1-d2	PIPE/L1	THREAD D	MIN.	MAX.
BTL3011370	1-1	370	M30x3	500	720
BTL3012370	1-2	370	M30x3	500	730
BTL3022370	2-2	370	M30x3	500	740
BTL3011400	1-1	400	M30x3	530	750
BTL3012400	1-2	400	M30x3	530	760
BTL3022400	2-2	400	M30x3	530	770
BTL3011450	1-1	450	M30x3	580	800
BTL3012450	1-2	450	M30x3	580	810
BTL3022450	2-2	450	M30x3	580	820
BTL3022460	2-2	460	M30x3	590	830
BTL3011500	1-1	500	M30x3	630	850
BTL3012500	1-2	500	M30x3	630	860
BTL3022500	2-2	500	M30x3	630	880
BTL3022520	2-2	520	M30x3	650	900
BTL3022550	2-2	550	M30x3	680	930
BTL3022560	2-2	560	M30x3	690	940
BTL3022600	2-2	600	M30x3	730	980
BTL3022650	2-2	650	M30x3	780	1030
BTL3022700	2-2	700	M30x3	830	1080
BTL3022720	2-2	720	M30x3	880	1100

THREAD M 30x3.5 (SPECIAL)

CODE	CAT d1-d2	PIPE/L1	THREAD D	MIN.	MAX.
BTL3011370S	1-1	370	M30x3.5	500	720
BTL3022370S	2-2	370	M30x3.5	500	740
BTL3011405S	1-1	405	M30x3.5	530	750
BTL3012405S	1-2	405	M30x3.5	530	760
BTL3022405S	2-2	405	M30x3.5	530	770
BTL3022460S	2-2	460	M30x3.5	580	820
BTL3022510S	2-2	510	M30x3.5	630	880
BTL3022730S	2-2	730	M30x3.5	880	1100

THREAD M 36x3

CODE	CAT d1-d2	PIPE/L1	THREAD D
BTL3622360	2-2	360	M36x3
BTL3622400	2-2	400	M36x3
BTL3623400	2-3	400	M36x3
BTL3632400	3-2	400	M36x3
BTL3633400	3-3	400	M36x3
BTL3622450	2-2	450	M36x3
BTL3623450	2-3	450	M36x3
BTL3632450	3-2	450	M36x3
BTL3633450	3-3	450	M36x3
BTL3622460	2-2	460	M36x3
BTL3623460	2-3	460	M36x3
BTL3632460	3-2	460	M36x3
BTL3633460	3-3	460	M36x3
BTL3622500	2-2	500	M36x3
BTL3623500	2-3	500	M36x3
BTL3632500	3-2	500	M36x3
BTL3633500	3-3	500	M36x3
BTL3622580	2-2	580	M36x3
BTL3623580	2-3	580	M36x3
BTL3632580	3-2	580	M36x3
BTL3633580	3-3	580	M36x3






TOP LINK ASSEMBLIES (ZETOR/URSUS)

BRACCIO 3PUNTO COMPLETO


ZESPÓŁ ŁĄCZNIKA CENTRALNEGO

CODE	PIPE A mm	THREAD B	LH BALL ID/HT (D1/H1)	RH BALL ID/HT (D2/H2)	TYPE
BTL241350	350	M24x3	25.4/51	25.4/51	1
BTL241400	400	M24x2	25.4/51	25.4/44	1
BTL242430	430	M24x2	25.4/44	25.4/44	2
BTL303470	470	M30x3	25.4/51	25.4/51	3
BTL363470	470	M36x3	32/51 (96)	25.4/51 (80)	3



SCREW ADJUSTABLE TOP LINK CAT-II

New



CODE	CAT	A	B	C	THREAD	MIN-MAX
BSTL2822	2:2	6"	2.1/4"	2"	1.1/8NC	10.1/4"-13"



LEVELLING ASSEMBLIES

LEVELLING ASSEMBLIES

WIESZAK





TOP LINK ENDS (UNC)


TIRANTI FILETTATI CON ROTULA SFERICA
GŁÓWKA PRZEDNIA ŁĄCZNIKA CENTRALNEGO



CODE	CAT	I.D.	THREAD	L1	D1	D2	H
BTLE00	0	16	3/4UNC	105	47	30	25.4
BTLE00	0	16	3/4UNCL	105	47	30	25.4
BTLE11	1	19	1.1/8UNC	155	58	53	44
BTLE11	1	19	1.1/8UNCL	155	58	53	44
BTLE20	2	25.4	1.1/8UNC	190	66	58	51
BTLE20	2	25.4	1.1/8UNCL	190	66	58	51
BTLE22	2	25.4	1.1/8UNC	180	76	66	51
BTLE22	2	25.4	1.1/8UNCL	180	76	66	51

TOP LINK ENDS (MM)

TIRANTI FILETTATI CON ROTULA SFERICA
GŁÓWKA PRZEDNIA ŁĄCZNIKA CENTRALNEGO



CODE	CAT	I.D.	THREAD	L1	D1	D2	H
BTLE22R01	1	19	M22x2.5R	95	50	58	44
BTLE22L01	1	19	M22x2.5L	95	50	58	44
BTLE22R02	1	19	M22x2.5R	120	50	58	44
BTLE22L02	1	19	M22x2.5L	120	50	58	44
BTLE24R03	1	19	M24x3R	60	50	58	44
BTLE24L03	1	19	M24x3L	60	50	58	44
BTLE24R04	1	19	M24x3R	85	50	58	44
BTLE24L04	1	19	M24x3L	85	50	58	44
BTLE24R05	1	19	M24x3R	120	50	58	44
BTLE24L05	1	19	M24x3L	120	50	58	44
BTLE24R06	1	19	M24x2.5R	120	50	58	44
BTLE24L06	1	19	M24x2.5L	120	50	58	44
BTLE27R07	1	19	M27x3R	120	50	58	44
BTLE27L07	1	19	M27x3L	120	50	58	44
BTLE27R08	1	19	M27x3R	155	50	58	44
BTLE27L08	1	19	M27x3L	155	50	58	44
BTLE27R09	2	25.4	M27x3R	135	56	66	51
BTLE27L09	2	25.4	M27x3L	135	56	66	51

CODE	CAT	I.D.	THREAD	L1	D1	D2	H
BTLE27R10	2	25.4	M27x3R	190	56	66	51
BTLE27L10	2	25.4	M27x3L	190	56	66	51
BTLE27R11	2	25.4	M27x3R	190	56	66	42
BTLE27L11	2	25.4	M27x3L	190	56	66	42
BTLE30R12	2	25.4	M30x3.5 R	75	56	75	51
BTLE30L12	2	25.4	M30x3.5 L	75	56	75	51




TOP LINK ENDS (MM)

TIRANTI FILETTATI CON ROTULA SFERICA
GŁÓWKA PRZEDNIA ŁĄCZNIKA CENTRALNEGO



CODE	CAT	I.D.	THREAD	L1	D1	D2	H
BTLE30L14	1	19	M30x3.5 L	120	60	62	44
BTLE30R14	1	19	M30x3.5 R	120	60	62	44
BTLE30L15	2	25.4	M30x3.5 L	120	56	75	51
BTLE30R15	2	25.4	M30x3.5 R	120	56	75	51
BTLE30L16	1	19	M30x3.5 L	170	60	62	44
BTLE30R16	1	19	M30x3.5 R	170	60	62	44
BTLE30L17	2	25.4	M30x3.5 L	180	56	75	51
BTLE30R17	2	25.4	M30x3.5 R	180	56	75	51
BTLE30L18	1	19	M30x3L	170	60	62	44
BTLE30R18	1	19	M30x3R	170	60	62	44
BTLE30L19	2	25.4	M30x3L	180	56	75	51
BTLE30R19	2	25.4	M30x3R	180	56	75	51




RATCHET JACK

RATCHET JACK
DŹWIGNIK ZĘBATKOWY

CODE	MIN	L	MAX	A	B	D
BRJ25	510		710	38	55	25.4

ACME THREAD 5TPI






STABILIZER ASSEMBLY

MANICOTTI CON TENDITORI PER CATENE IMBRIGLIAMENTO

ZESPÓŁ STABILIZATORA



CODE	MIN	MAX	A	B	D	E
BSA275	275	325	130	20x2.5	38	14
BSA280	280	345	150	22x2.5	38	14
BSA300	300	365	150	24x2.5	55	25






STABILIZER CHAIN ASSEMBLY

CATENE IMBRIGLIAMENTO E STABILIZZATOR

ŁAŃCUCH STABILIZATORA KOMPLETNY



CODE	STYLE	L-MIN.	D	d1	d	d2
BCA1420	1	420	16x2	18	12	12
BCA1500	1	500	16x2	18	12	12
BCA1580	1	580	16x2	18	12	12
BCA2480	2	480	16x2	18	10	14
BCA2570	2	570	20x2.5	20	12	14
BCA2635	2	635	16x2	20	12	14
BCA2670	2	670	20x2.5	20	12	14
BCA2580	2	580	20x2.5	20	12	14
BCA2460	2	460	20x2.5	20	12	14
BCA3570	3	570	20x2.5	20	12	14
BCA3600	3	600	20x2.5	20	12	14




TURN BUCKLE

MANICOTTO IN GHISA PER CATENE TIPO FIAT

NAKRĘTKA ROZPINAJĄCA



CODE	THREAD	PIPE LENGTH
BTB16	M16x2	172




STABILIZER ENDS

TESTA AD ASOLA

KOŃCÓWKA STABILIZATORA



CODE	L	d	d1	D
BSE04	122	18x2.5	39	14.5
BSE05	127	20x2.5	39	14.5
BSE06	134	22x2.5	55	2.5




EYE ENDS

PERNO AD OCCHIO CON DADO PER STABILIZZATORI

KOŃCÓWKA OČZKOWA



CODE	D	L	ed	D1	L1
BEE16	16x1.5	80	15	36	43
BEE18	18x2.5	80	15	36	43
BEE20	20x2.5	100	18	45	56
BEE24	24x2	125	24	53	65






WELD ON ENDS

SUPPORTI CON ROTULA SFERICA

GŁÓWKA PRZYSAPAWANA

CODE	A	B	C	D	E
BWOET01	19.2	44	25	53	48
BWOET02	20.2	44	25	53	48
BWOET03	19.2	44	25	53	48
BWOET04	19.2	44	26	55	65
BWOET05	19.2	44	30	62	34
BWOET06	20.2	44	30	62	34
BWOET07	22.1	44	30	62	34
BWOET08	19.2	44	34	62	60
BWOET09	22.1	44	34	62	60
BWOET10	20.2	44	34	62	60
BWOET11	19.2	44	30	62	50
BWOET12	20.2	44	30	62	50
BWOET13	22.1	44	34	62	58
BWOET14	19.2	44	34	62	58
BWOET15	19.2	35	26	62	55
BWOET16	22.1	35	26	62	55
BWOET17	19.2	51	38	75	65
BWOET18	25.4	51	38	75	65
BWOET19	30.2	51	38	75	65
BWOET20	19.2	51	45	72	70
BWOET21	22.1	51	45	72	70
BWOET22	25.4	51	45	72	70
BWOET23	30.2	51	45	72	70
BWOET24	25.4	51	38	90	85
BWOET25	30.2	51	38	90	85
BWOET26	19.2	51	50	85	70
BWOET27	25.4	51	50	85	70
BWOET28	25.4	51	50	83	65
BWOET29	30.2	42	50	83	65
BWOET30	30.2	55	50	83	65
BWOET31	35.2	35	50	83	65
BWOET32	35.2	55	50	83	65
BWOET33	30.2	55	50	92	65
BWOET34	30.2	44	50	92	65
BWOET35	35.2	35	50	92	65




WELD ON ENDS

SUPPORTI CON ROTULA SFERICA

GŁÓWKA PRZYSAPAWANA

CODE	A	B	C	D	E
BWOEL01	16.2	20	30	46	60
BWOEL02	19.2	44	50	52	50
BWOEL03	20.2	44	50	52	50
BWOEL04	19.2	35	50	65	43
BWOEL05	22.1	35	50	65	43
BWOEL06	22.1	35	70	76	50
BWOEL07	25.4	35	70	76	50
BWOEL08	28.2	35	70	76	50
BWOEL09	22.1	35	70	83	55
BWOEL10	25.4	35	70	83	55
BWOEL11	28.2	35	70	83	55
BWOEL12	28.2	45	70	83	55
BWOEL13	25.4	35	70	80	80
BWOEL14	28.2	35	70	80	80
BWOEL15	28.2	45	70	80	80
BWOEL16	22.1	45	70	80	65
BWOEL17	25.4	45	70	80	65
BWOEL18	28.4	45	70	80	65
BWOEL19	30.2	45	70	80	65
BWOEL20	28.2	45	70	96	65
BWOEL21	34.4	45	70	96	65
BWOEL22	35.2	45	70	96	65
BWOEL23	37.4	45	70	96	65
BWOEL24	19.2	35	56	67	50
BWOEL25	22.1	35	56	67	50
BWOEL26	25.4	35	56	67	50
BWOEL27	22.1	35	58	67	75
BWOEL28	25.1	45	70	80	80
BWOEL29	28.2	45	90	106	90
BWOEL30	30.2	45	90	106	90
BWOEL31	34.4	45	90	106	90
BWOEL32	35.2	45	90	106	90
BWOEL33	37.4	45	90	106	90
BWOEL34	38.4	45	90	106	90
BWOEL35	28.4	45	70	80	110




BALL END WITH BOTTOM

SUPPORTO ASALDARE CON

New




CODE	AL	d. (A12)	H	D1	INTER	D
BEWB6025	60	25.4	51	70	105	85
BEWB6325	63	25.4	51	73	105	85
BEWB7025	70	25.4	51	80	105	85
BEWB8025	80	25.4	51	95	108	85
BEWB8032	80	32.1	51	95	108	85





DRAW BAR (63x30)

BARRE DI TRAINO
BELKA ZACZEPU



CODE	H	G	Holes	A	B	C	D	E	F
BDB08	63	30	7	1003	60	181	80	28.5	25.4
BDB09	63	30	7	683	49	113	54	22	20
BDB10	63	30	9	758	49	114	54	22	20
BDB11	63	30	9	781	60	114	54	28.5	20
BDB12	63	30	7	962	60	181	80	28.5	28
BDB13	63	30	9	796	57.5	125	55	21.6	22.2
BDB14	63	30	9	800	70	113.3	54	28	22
BDB15	63	30	11	766	60	60	54	28	20
BDB16	63	30	11	945	60	114	60	28	22
BDB17	63	30	9	800	58	118	22	22	22
BDB18	63	30	9	800	126	51	70	28	22
BDB19	63	30	11	765	52	60	54	22	22
BDB20	63	30	11	781	60	60	54	28	22
BDB21	63	30	9	770	55	110	55	22	20
BDB22	63	30	9	770	55	110	55	28	20
BDB23	63	30	3	440	55	110	55	22	20
BDB24	63	30	11	766	53	60	54	22	20
BDB25	63	30	11	780	60	60	54	28	20
BDB26	63	30	3	440	57	110	54	22	19
BDB27	63	30	9	800	70	114	54	28	22
BDB28	63	30	11	810	60	75	54	28.5	20
BDB29	63	30	9	620	50	71	47.5	22	26

DRAW BAR (63x25)

CODE	H	G	Holes	A	B	C	D	E	F
BDB00	63	25	7	505	51	66.5	45	22	20
BDB01	63	25	7	770	50	105	76.66	22	22
BDB02	63	25	7	610	51	84.5	57	22	19
BDB03	63	25	7	610	51	84.5	57	22	22
BDB04	63	25	11	775	57	75	51	22	19
BDB05	63	25	11	775	57	75	51	22	22
BDB06	63	25	9	775	57	114	54	22	19
BDB07	63	25	11	766	53	60	54	22	20

* Call to order



DRAW BAR (80x40)

CODE	H	G	Holes	A	B	C	D	E	F
BDB30	80	40	7	930	55	110	100	28	28
BDB31	80	40	3	770	56	16.5	16.6	28	26.5
BDB32	80	40	7	861	60.3	122	83	28	26.5
BDB33	80	40	7	1085	60	151	110	36	32
BDB34	80	40	7	940	60	121	83	28.4	26

DRAW BAR (70x30)

CODE	H	G	Holes	A	B	C	D	E	F
BDB35	70	30	1	770	54.8	329	N.A.	27.8	26
BDB36	70	30	3	772	54.8	163	165.2	27.8	26
BDB37	70	30	3	674	55	139.5	140	28	22.7
BDB38	70	30	3	900	55	197.5	197.5	28.4	28.5
BDB39	70	30	3	960	55	212.5	212.5	28.4	28.5
BDB40	70	30	11	960	55	155	155	28	26

DRAW BAR (76x32)

CODE	H	G	Holes	A	B	C	D	E	F
BDB41	76	32	11	780	60	75	51	28	19
BDB42	76	32	11	780	60	75	51	28	22
BDB43	76	32	13	940	60	76	55.5	28	19
BDB44	76	32	13	940	60	76	55.5	28	22
BDB45	76	32	7	880	50	100	96	28	28
BDB46	76	32	9	920	50	90	80	28	33
BDB47	76	32	7	930	55	85	108.5	28	26
BDB48	76	32	9	945	60	92.5	80	28	33
BDB49	76	32	11	933	55	157.5	50.8	28	22
BDB50	76	32	7	960	59	103.5	71.5	28	26.5
BDB51	76	32	7	861	60.5	123.5	82.2	28.4	27
BDB52	76	32	13	933	60	76.4	55	28.6	19
BDB53	76	32	7	890	55	124	88.6	28	28
BDB54	76	32	3	772	55.5	165	166	22.6	26.6
BDB55	76	32	7	940	60	148	86	28.4	28.5
BDB56	76	32	7	910	50	85	110	28	26
BDB57	76	32	9	930	60	86	80	28	28
BDB58	76	32	9	945	60	92.5	80	28	33
BDB59	76	32	11	960	62	143	55	28	28
BDB60	76	32	7	981	60	151	86	28.4	28.5




* Call to order



U-BOLTS


CAVALLOTTO FILETTATO
SRUBA TYPU "U"



CODE	Dia. ØA	Dim. B	Dim. C
BUB01	7/16"	2"	6"
BUB02	7/16"	2-7/8"	7-3/4"
BUB03	7/16"	3"	7-1/2"
BUB04	1/2"	2-1/2"	8-1/4"
BUB05	1/2"	2-7/8"	7"
BUB06	1/2"	3"	8"
BUB07	9/16"	3"	8-1/4"
BUB08	9/16"	3-1/4"	8"
BUB09	9/16"	3-3/8"	12"
BUB10	5/8"	3"	8-1/2"
BUB11	5/8"	3-1/4"	8-1/4"
BUB12	5/8"	3-1/4"	12"

U-BOLTS


CAVALLOTTO FILETTATO
SRUBA TYPU "U"



CODE	Dia. ØA	Dim. B	Dim. C
BUB21	3/8"	2-1/2"	2-1/2"
BUB22	3/8"	7"	7"
BUB23	1/2"	3"	4"
BUB24	5/8"	4"	4"
BUB25	5/8"	4"	5-1/2"
BUB26	5/8"	4"	7-1/2"
BUB27	5/8"	5"	8-1/2"
BUB28	5/8"	6"	8"
BUB29	5/8"	7"	5"
BUB30	5/8"	7"	7"
BUB31	5/8"	7"	8-1/2"
BUB32	3/4"	5"	7"
BUB33	3/4"	7"	8-1/2"
BUB34	3/4"	7"	7"

U-BOLTS

CAVALLOTTO FILETTATO
SRUBA TYPU "U"




CODE	Dia. ØA	Dim. B	Dim. C	Dim. D
BUB51	11	70	37	42
BUB52	12.8	82	39	49
BUB53	11	90	30	56
BUB54	15	96	52	60.5

- * Zinc plated or as per Customer's choice.
- * Each U-Bolt comes with 2 Hex Nuts.
- * Can be made in other sizes also.



DROP LOCK PIN WELD ON TYPE


CHIUSURA A CADUTA
SWORZEN BLOKADY SPAWANY



CODE	Dia. L mm	Dim. H mm
BDLPW001	13	70

DROP LOCK PIN WITH LONG SCREW


CHIUSURA A CADUTA CON VITE
SWORZEN BLOKADY SPAWANY Z DŁUGIM GWINTEM



CODE	Dia. L mm	Dim. H mm	Thread
BDLPLS001	35	70	1/2" UNF
BDLPLS002	76	70	1/2" UNF
BDLPLS003	38	50	M8 x 1.25
BDLPLS004	20	50	M8 x 1.25

CLEVISES (Screw Pin)


STAFFA ATTACCO CON PERNO FILETTATO
STRZEMIE (SWORZEN ŚRUBOWY)



CODE	Body Dia. ØA mm	Usable Length B mm	Pin Dia. ØC mm	Thread Dia. ØD mm	Weight lbs.
BCSP001	6.35	25.87	7.93	5/16" UNC	0.14
BCSP002	7.93	31.75	9.52	3/8" UNC	0.22
BCSP003	9.52	36.51	11.11	7/16" UNC	0.31
BCSP004	11.11	42.85	12.7	1/2" UNC	0.53
BCSP005	12.7	49.21	15.87	5/8" UNC	0.75
BCSP006	15.87	63.5	19.05	3/4" UNC	1.1
BCSP007	19.05	76.2	22.22	7/8" UNC	2.75
BCSP008	22.22	82.55	25.4	1" UNC	3.58
BCSP009	25.4	95	28.57	1-1/8" UNC	5.4
BCSP010	28.57	107.95	31.75	1-1/4" UNC	7
BCSP011	13.75	114.3	34.92	1-3/8" UNC	9.5

CLEVISES (Utility)

STAFFA ATTACCO CON COPPIGLIA
STRZEMIE



CODE	Body Dia. ØA mm	Usable Length B mm	Pin Dia. ØC mm	Weight lbs.
BCU001	6.35	22.22	7.93	0.1
BCU002	7.93	25.4	9.52	0.17
BCU003	9.52	31.75	11.11	0.28
BCU004	11.11	38.05	12.7	0.42
BCU005	12.7	42.86	15.87	0.66
BCU006	15.87	50.8	19.05	1.2



HARROW DISC / DISC BLADES

DISCHI FRANGIZOLLE

TALERZ BRŃNY (OSTRAZ TARCZOWE)



SMOOTH
LISCIO



NOTCHED
DENTATO

CODE	DIA INCH	MM	TYPE	THICK MM	CONCAVITY
BHD1603S	16	410	SMOOTH	3	37
BHD1803S	18	460	SMOOTH	3	46
BHD1835S	18	460	SMOOTH	3.5	46
BHD2035S	20	510	SMOOTH	3.5	57
BHD2245S	22	560	SMOOTH	4.5	68
BHD2206S	22	560	SMOOTH	6	68
BHD2445S	24	610	SMOOTH	4.5	81
BHD2406S	24	610	SMOOTH	6	81
BHD2605S	26	660	SMOOTH	5	97
BHD2606S	26	660	SMOOTH	6	97
BHD2806S	28	712	SMOOTH	6	102
BHD2808S	28	712	SMOOTH	8	102
BHD3075S	30	762	SMOOTH	7.5	130

CODE	DIA INCH	MM	TYPE	THICK MM	CONCAVITY
BHD1603N	16	410	NOTCHED	3	37
BHD1803N	18	460	NOTCHED	3	46
BHD1835N	18	460	NOTCHED	3.5	46
BHD2035N	20	510	NOTCHED	3.5	57
BHD2245N	22	560	NOTCHED	4.5	68
BHD2206N	22	560	NOTCHED	6	68
BHD2445N	24	610	NOTCHED	4.5	81
BHD2406N	24	610	NOTCHED	6	81
BHD2605N	26	660	NOTCHED	5	97
BHD2606N	26	660	NOTCHED	6	97
BHD2806N	28	712	NOTCHED	6	102
BHD2808N	28	712	NOTCHED	8	102
BHD3075N	30	762	NOTCHED	7.5	130

GREASE NIPPLES

INGRASSATORI

SMAROWNICZKA



CODE	SIZE	TYPE
BGN01	M6 x 1	STRAIGHT
BGN02	M8 x 1	STRAIGHT
BGN03	M10 x 1	STRAIGHT
BGN04	M6 x 1	45°
BGN05	M8 x 1	45°
BGN06	M10 x 1	45°
BGN07	M6 x 1	90°
BGN08	M8 x 1	90°
BGN09	M10 x 1	90°

* Sizes to order


* Finish to order



DISC HARROW AXLE

OS BRŃNY TALERZOWEJ

- Painted Black or as per Customer's choice.
- Any size with Nut & Lock Washer.
- Head shape can be round also.
- Round or Sharp Edges as per Customer's choice.




BLADE BOLT

BLADE BOLT



CODE	Dim. A	Dim. B	Dim. C	Dim. D	Thread E
BDHA01	7/8"	22"	1/2"	1-3/8"	7/8" UNC
BDHA02	7/8"	22-1/2"	1/2"	1-3/8"	7/8" UNC
BDHA03	7/8"	25-1/4"	1/2"	1-3/8"	7/8" UNC
BDHA04	7/8"	26"	1/2"	1-3/8"	7/8" UNC
BDHA05	7/8"	30-1/2"	1/2"	1-3/8"	7/8" UNC
BDHA06	7/8"	33"	1/2"	1-3/8"	7/8" UNC
BDHA07	7/8"	39-1/8"	1/2"	1-3/8"	7/8" UNC
BDHA08	7/8"	40-1/4"	1/2"	1-3/8"	7/8" UNC
BDHA09	7/8"	41-3/4"	1/2"	1-3/8"	7/8" UNC
BDHA10	1"	19"	1/2"	1-1/2"	1" UNC
BDHA11	1"	26-1/2"	1/2"	1-1/2"	1" UNC
BDHA12	1"	34"	1/2"	1-1/2"	1" UNC
BDHA13	1-1/8"	12"	1/2"	1-5/8"	1-1/8" UNC
BDHA14	1-1/8"	26-1/4"	1/2"	1-5/8"	1-1/8" UNC
BDHA15	1-1/8"	22"	1/2"	1-5/8"	1-1/8" UNC
BDHA16	1-1/8"	31"	1/2"	1-5/8"	1-1/8" UNC
BDHA17	1-1/8"	31-1/2"	1/2"	1-5/8"	1-1/8" UNC
BDHA18	1-1/8"	34"	1/2"	1-5/8"	1-1/8" UNC
BDHA19	1-1/8"	40"	1/2"	1-5/8"	1-1/8" UNC
BDHA20	1-1/8"	40-1/4"	1/2"	1-5/8"	1-1/8" UNC
BDHA21	1-1/8"	42"	1/2"	1-5/8"	1-1/8" UNC
BDHA22	1-1/8"	49-1/2"	1/2"	1-5/8"	1-1/8" UNC
BDHA23	1-1/8"	56-1/2"	1/2"	1-5/8"	1-1/8" UNC
BDHA24	1-1/8"	58-1/2"	1/2"	1-5/8"	1-1/8" UNC
BDHA25	1-1/8"	64"	1/2"	1-5/8"	1-1/8" UNC
BDHA26	1-1/8"	67-1/2"	1/2"	1-5/8"	1-1/8" UNC
BDHA27	1-1/8"	71-1/2"	1/2"	1-5/8"	1-1/8" UNC
BDHA28	1-1/8"	76-1/2"	1/2"	1-5/8"	1-1/8" UNC
BDHA29	1-1/8"	79"	1/2"	1-5/8"	1-1/8" UNC
BDHA30	1-1/8"	85-1/2"	1/2"	1-5/8"	1-1/8" UNC
BDHA31	1-1/8"	94-1/2"	1/2"	1-5/8"	1-1/8" UNC
BDHA32	1-1/8"	95-11/16"	1/2"	1-5/8"	1-1/8" UNC
BDHA33	1-1/8"	104-11/16"	1/2"	1-5/8"	1-1/8" UNC

CODE	HEAD D	TOTAL L	COLLER ØA	COLLER (a)	COLLER ØB	COLLER (b)	THREAD (E)
BBB6290	60	90	38	14	28.4	25	1 1/8" 12TPI
BBB6378	63	78	38	14	28.4	25	1 1/8" 12TPI



- Material : EN - 15 Steel
- Chemical composition : Carbon-0.32%, Silicon-0.16%, Manganese-1.39%, Phosphorous-0.043% and Sulphur-0.030%
- Hardened & Tempered, Hardness : 28-32 HRC.
- We can manufacture different sizes & specifications of blade bolts on demand.

* Finish to order




HITCH BALLS

ATTACCO A SFERA

KULA ZACZĘPU

CODE	A	B	C
BHB19	19	70	57
BHB22	22	70	57
BHB25	25.4	70	57



BALL MOUNT

BALL MOUNT



CLEVIS YOKE

CLEVIS YOKE

WIDELKI



BATTERY TERMINALS



WHEEL SPINNER



LATCH ASSEMBLIES



SPRING LATCH ASSEMBLIES




JOCKEY WHEEL CLAMP




FIXED LATCH ASSEMBLIES





PARKING JACK HEAVY DUTY

CODE	Dim. A	Dim. B	Dim. C	E	H	S	D	Stroke	Static Cap.
BPJ10101	40	300	115	95	440	2	18	150	400
BPJ10102	40	400	115	95	540	2	18	250	400
BPJ10103	40	500	115	95	640	2	18	350	400
BPJ10105	50	300	135	160	480	3	22	150	800
BPJ10106	50	400	135	160	580	3	22	250	800
BPJ10107	50	500	135	160	680	3	22	350	800
BPJ10108	50	600	135	160	780	3	22	500	800
BPJ10109	50	400	135	160	580	3	22	250	800
BPJ10113	60	400	135	160	580	3	22	250	1000
BPJ10114	60	500	135	160	680	3	22	350	1000
BPJ10115	60	600	135	160	780	3	22	500	1000
BPJ10116	60	700	135	160	880	3	22	500	1000
BPJ10117	60	500	135	160	680	3	22	350	1000
BPJ10150	70	400	180	160	580	3	28	300	1800
BPJ10131	70	500	180	160	680	3	28	400	1800
BPJ10132	70	600	180	160	780	3	28	500	1800
BPJ10133	70	700	180	160	880	3	28	500	1800
BPJ10135	80	400	180	220	590	3	28	300	2000
BPJ10136	80	500	180	220	690	3	28	400	2000
BPJ10137	80	600	180	220	790	3	28	500	2000
BPJ10139	100	500	180	220	690	4	28	400	2200
BPJ10140	100	700	180	220	890	4	28	500	2200




PARKING JACK (LIGHT TYPE)

CODE	Dim. A	Dim. B	Dim. C	E	H	SE	SI	D	Stroke	Static Cap.
BPJ10409	40	360	115	95	500	2	2	18	250	400
BPJ10410	60	660	115	160	840	3	2	18	450	700
BPJ10411	50	460	115	160	610	3	2	18	250	600
BPJ10412	50	560	115	160	710	3	2	18	350	600
BPJ10413	60	460	115	160	610	3	2	18	350	700
BPJ10414	60	560	115	160	710	3	2	18	450	700
BPJ10415	70	460	180	160	640	3	3	22	350	1200
BPJ10416	70	660	180	160	840	3	3	22	500	1200
BPJ10417	70	660	180	160	840	3	3	22	500	1200

PARKING JACK (NORMAL TYPE)

CODE	Dim. A	Dim. B	Dim. C	E	H	SE	SI	D	Stroke	Static Cap.
BPJ10418	50	260	115	160	410	3	2	18	150	600
BPJ10419	50	360	115	160	510	3	2	18	250	600
BPJ10420	50	460	115	160	610	3	2	18	350	600
BPJ10421	50	560	115	160	710	3	2	18	450	600
BPJ10422	50	360	115	160	510	3	2	18	250	700
BPJ10423	50	460	115	160	610	3	2	18	350	700
BPJ10424	50	560	115	160	710	3	2	18	450	700



PARKING JACK WITH LATERAL HANDLE

CODE	Dim. A	Dim. B	Dim. C	E	F	H	S	Stroke	Static Cap.
BPJ10399	60	550	170	160	150	565	3	350	1000
BPJ10400	60	550	170	160	150	580	3	350	1000



PARKING JACK (HEAVY TYPE)

"HEAVY TYPE" with Reduction Gear and Lateral Handle

CODE	Dim. A	Dim. B	Dim. C	E	F	H	S	Stroke	Static Cap.
BPJ10402	70	500	220	220	185	620	3	400	3000
BPJ10404	70	600	220	220	185	720	3	500	3000
BPJ10406	70	700	220	220	185	820	3	500	3000
BPJ10407	70	800	220	220	185	920	3	500	3000
BPJ10403	80	500	220	220	180	620	3	400	3000
BPJ10405	80	600	220	220	180	720	3	500	3000
BPJ10408	80	800	220	220	180	920	3	500	3000




JOCKEY WHEEL PARKING JACK

CODE	A Pipe Diameter	Wheel Size	Pipe Length	B	C	D
BJW001	35	160x43	220	310	100	465
BJW002	42	200x50	195	390	120	590
BJW003	48	200x50	195	390	120	590
BJW004	48	250x85	175	420	150	625
BJW005	60	255x80	400	430	150	720
BJW006	60	220x70	500	560	350	1060



UNIVERSAL JOINT CROSS
CROCIERE CARDANICHE



CODE	D mm	L mm
BUJC01	22,00	54,00
BUJC02	23,84	61,30
BUJC03	27,00	70,00
BUJC04	27,00	74,60
BUJC05	30,20	80,00
BUJC06	29,00	80,00
BUJC07	30,20	92,00
BUJC08	34,92	94,00
BUJC09	30,20	106,50
BUJC10	34,92	106,50
BUJC11	41,00	108,00
BUJC12	18,00	47,00
BUJC13	22,00	57,80
BUJC14	23,84	61,30
BUJC15	26,98	74,60
BUJC16	34,00	90,00
BUJC17	32,00	76,00
BUJC18	30,17	92,00
BUJC19	36,00	89,00
BUJC20	42,00	104,00

WEATHER CAPS
WEATHER CAPS
WODOODPORNA ZAŚLEPKA



CODE	MIN mm	MAX mm
BWC001	38	42
BWC002	50	55
BWC003	63	68
BWC004	75	81
BWC005	100	106
BWC006	115	121

**ASK FOR
DETAILED CATALOGUE**



HAND TOOLS & LUBRICANTS



SALIENT FEATURES OF THIS CATALOGUE >
* Illustrations And Pictures in this Catalogue are as true as possible, but not binding.
* All Pictures, Drawings, Photographs, Specifications in this Catalogue are exclusive property of BAWA INDUSTRIES Pvt. Ltd. & there reproduction, use, copying even partially in any form is strictly prohibited.

